L Number	Hits	Search Text	DB	Time stamp
1	4	"5983032"	USPAT;	2004/09/26 22:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	1	WEAGAAGON	IBM_TDB	
2	5	"5184452"	USPAT;	2004/09/26 22:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	202583	(cam or lobe) and spring	IBM_TDB USPAT;	2004/00/24 17:42
	202303	(cam of tobe) and spring	US-PGPUB;	2004/09/24 17:43
		•	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	135388	(cam or lobe) same spring	USPAT;	2004/09/22 15:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	136650	(cam\$2 or lob\$2) same spring	USPAT;	2004/09/22 15:08
			US-PGPUB;	*
			EPO; JPO;	
			DERWENT;	
_	137003	(cam\$2 or lob\$2) same spring\$2	IBM_TDB	2004/00/22 15:00
	13,003	/comiss of toniss same shiftingss	USPAT; US-PGPUB;	2004/09/22 15:08
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	156710		USPĀT;	2004/09/22 15:15
	1	or bias\$4) same (rotat\$2 or forc\$4 or	US-PGPUB;	
		twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
			DERWENT;	
	00655		IBM_TDB	
_	20657	(USPAT;	2004/09/22 15:16
		(spring\$2 or bias\$4) near3 (rotat\$2 or	US-PGPUB;	
		forc\$4 or twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
			DERWENT; IBM TDB	
_	14672	(cam\$2 or lob\$2 or lever\$2) near3	USPAT;	2004/09/22 15:17
	_	(spring\$2 or bias\$4) near3 (rotat\$2 or	US-PGPUB;	2004/05/22 15.17
!	1	forc\$4 or twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
		and (shaft\$2 or rod\$2)	DERWENT;	
			IBM TDB	
_	1892		USPĀT;	2004/09/22 15:39
		(spring\$2 or bias\$4) near3 (rotat\$2 or	US-PGPUB;	
		forc\$4 or twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
		near5 (shaft\$2 or rod\$2)	DERWENT;	
_	1952	(cam\$2 or lob\$2 or lever\$2) near3	IBM_TDB	2004/00/22 15 12
	1,552	(spring\$2 or bias\$4) near3 (rotat\$2 or	USPAT; US-PGPUB;	2004/09/22 15:40
		forc\$4 or twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
		near5 (shaft\$2 or rod\$2 or camshaft\$2)	DERWENT;	
			IBM TDB	
-	6670	(cam\$2 or lob\$2 or lever\$2) near3	USPAT;	2004/09/22 16:58
		(spring\$2 or bias\$4) near3 (rotat\$2 or	US-PGPUB;	
		forc\$4 or twist\$4 or torq\$3 or torsion\$6)	EPO; JPO;	
		<pre>same (shaft\$2 or rod\$2)</pre>	DERWENT;	
	6.60.6	40 1140 1	IBM_TDB	
***	6670	(cam\$2 or lob\$2 or lever\$2) near3	USPAT;	2004/09/22 16:59
		(spring\$2 or bias\$4) near3 (rotat\$2 or	US-PGPUB;	
		<pre>forc\$4 or twist\$4 or torq\$3 or torsion\$6) same (shaft\$2 or rod\$2)</pre>	EPO; JPO;	
		same (SUGICAS OF LOGAS)	DERWENT;	
_	695	corrigan.xa.	IBM_TDB	2004/00/22 10 00
	0,55	oolligan, na.	USPAT; US-PGPUB;	2004/09/23 19:06
			EPO; JPO;	
İ			DERWENT;	
			IBM TDB	

_	34	corrigan.xa. and (unisia or Nissan)	USPAT; US-PGPUB;	2004/09/23 19:07
			EPO; JPO; DERWENT;	
_	1583	123/90.16.ccls.	IBM_TDB USPAT; US-PGPUB;	2004/09/26 17:13
			EPO; JPO; DERWENT; IBM TDB	
-	9935	(nissan or unisia) and spring\$2	USPAT; US-PGPUB; EPO; JPO;	2004/09/24 17:46
_	306	123/90.15-90.18.ccls. and (nissan or	DERWENT; IBM_TDB USPAT;	2004/09/24 17:52
	300	unisia) and spring\$2	US-PGPUB; EPO; JPO;	2004/09/24 17:52
_	3651018	123/90.15-90.18.ccls. and (rocker\$2 or	DERWENT; IBM_TDB USPAT;	2004/09/24 17:53
		lever\$2) and rotat\$5 on (rod or shaft\$2 or camshaft\$2)	US-PGPUB; EPO; JPO; DERWENT;	2004/03/24 17.33
_	1026	123/90.15-90.18.ccls. and (rocker\$2 or	IBM_TDB USPAT;	2004/09/24 17:55
		lever\$2) and rotat\$5 near3 (rod or shaft\$2 or camshaft\$2)	US-PGPUB; EPO; JPO; DERWENT;	
_	736		IBM_TDB USPAT;	2004/09/24 17:54
		lever\$2) and rotat\$5 near3 (rod or shaft\$2)	US-PGPUB; EPO; JPO; DERWENT;	
_	717	123/90.15-90.18.ccls. and (rocker\$2 or lever\$2) and rotat\$5 near3 (shaft\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/24 17:54
-	0	123/90.15-90.18.ccls. and (rocker\$2 or	DERWENT; IBM_TDB USPAT;	2004/09/24 17:55
		lever\$2) and rotat\$5 near3 on near3 (rod or shaft\$2 or camshaft\$2)	US-PGPUB; EPO; JPO; DERWENT;	2004/05/24 17:55
_	13	123/90.15-90.18.ccls. and (rocker\$2 or lever\$2) and rotat\$5 near3 freely near3	IBM_TDB USPAT; US-PGPUB;	2004/09/24 18:03
		(rod or shaft\$2 or camshaft\$2)	EPO; JPO; DERWENT; IBM TDB	
_	5623	(rocker\$2 or lever\$2) and rotat\$5 near3 freely near3 (rod or shaft\$2 or	USPAT; US-PGPUB;	2004/09/24 18:04
		camshaft\$2) not (123/90.15-90.18.ccls. and (rocker\$2 or lever\$2) and rotat\$5 near3 freely near3 (rod or shaft\$2 or	EPO; JPO; DERWENT; IBM_TDB	
-	482	<pre>camshaft\$2)) (rocker\$2 or lever\$2) near5 rotat\$5 near3 freely near3 (rod or shaft\$2 or</pre>	USPAT; US-PGPUB;	2004/09/24 18:05
		camshaft\$2) not (123/90.15-90.18.ccls. and (rocker\$2 or lever\$2) and rotat\$5 near3 freely near3 (rod or shaft\$2 or	EPO; JPO; DERWENT; IBM TDB	
-	1817	<pre>camshaft\$2)) (rocker\$2 or lever\$2) same rotat\$5 near3</pre>	USPAT;	2004/09/24 18:05
		freely near3 (rod or shaft\$2 or camshaft\$2) not (123/90.15-90.18.ccls. and (rocker\$2 or lever\$2) and rotat\$5 near3	US-PGPUB; EPO; JPO; DERWENT;	
		<pre>freely near3 (rod or shaft\$2 or camshaft\$2))</pre>	IBM_TDB	

		123/90.15-90.18.ccls. and (rocker\$2 or	ПОРАВ	1 2004 (00 (26 16:40
	0	lever\$2) same rotat\$5 near3 freely near3	USPAT; US-PGPUB;	2004/09/26 16:40
	1	(rod or shaft\$2 or camshaft\$2) same	EPO; JPO;	
		spring\$2 not (123/90.15-90.18.ccls. and	DERWENT;	
		(rocker\$2 or lever\$2) and rotat\$5 near3	IBM TDB	
	•	freely near3 (rod or shaft\$2 or	1 PM_1 DB	
		camshaft\$2))		
_	688		USPAT;	2004/09/26 17:13
		freely near3 (rod or shaft\$2 or	US-PGPUB;	2004/03/20 17:13
		camshaft\$2) same spring\$2 not	EPO; JPO;	
		(123/90.15-90.18.ccls. and (rocker\$2 or	DERWENT;	
		lever\$2) and rotat\$5 near3 freely near3	IBM TDB	
		(rod or shaft\$2 or camshaft\$2))		ł
_	1785	123/90.39-90.43.ccls.	USPAT;	2004/09/26 16:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1202	123/90.44-90.47.ccls.	USPAT;	2004/09/26 16:35
			US-PGPUB;	
			EPO; JPO;	*
			DERWENT;	
			IBM_TDB	
_	0	123/90.15-90.18.ccls. and (rocker\$2 or	USPAT;	2004/09/26 16:41
	1	lever\$2) same rotat\$5 near3 freely near3	US-PGPUB;	
		(rod or shaft\$2 or camshaft\$2) same	EPO; JPO;	1
		spring\$2	DERWENT;	
	10010		IBM_TDB	
-	13810	(rocker\$2 or lever\$2) same pivot\$5 near3	USPAT;	2004/09/26 17:14
		(rod or shaft\$2 or camshaft\$2) same	US-PGPUB;	1
		spring\$2 not (123/90.15-90.18.ccls. and	EPO; JPO;	
		(rocker\$2 or lever\$2) and rotat\$5 near3	DERWENT;	
		freely near3 (rod or shaft\$2 or camshaft\$2))	IBM_TDB	
	1899		пораш.	2004/00/26 17 25
_	1899	(rocker\$2 or lever\$2) same pivot\$5 near3 (rod or shaft\$2) same spring\$2 and engine	USPAT;	2004/09/26 17:25
		(10d of share\$2) same spring\$2 and engine	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
***	137	123/90.15-90.18.ccls. and (rocker\$2 or	USPAT;	2004/09/26 22:45
		lever\$2) same pivot\$5 near3 (rod or	US-PGPUB;	2004/05/20 22:45
		shaft\$2) same spring\$2	EPO; JPO;	
			DERWENT;	
			IBM TDB	